Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) The mixture for under-pressure carburizing employing hydrocarbons is characterized in that it contains the carbon carrier in the form of two unsaturated hydrocarbons acetylene and ethylene in the proportion of 0.1 0.55 to 2.0, where the said carbon carrier can be further mixed with other components modifying the carburizing process.
- 2. (Currently Amended) The mixture for under-pressure carburizing according to claim 1 is characterized in that it is beneficial and preferable to have the said hydrocarbons in the proportion of from 0.15 to 2.0. 0.55 to 1.0.
 - 3. (Canceled)
- 4. (Original) The mixture for under-pressure carburizing according to claim 1 is characterized in that the said carbon carrier can be mixed with hydrogen in the proportion from 0.7 to 1.6.
- 5. (Original) The mixture for under-pressure carburizing according to claim 1 is characterized in that the said carbon carrier can be mixed with ammonia in the proportion from 0.7 to 5.0.